

**Dial A Dump (EC) Pty Ltd**  
**Dust Deposition Monitoring**



*Disclaimer: Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of the Licensees' knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere or used in any way without prior consent from the Licensees. For more details on publication of pollution monitoring data refer to the NSW EPA Website [www.epa.nsw.gov.au](http://www.epa.nsw.gov.au)*

<b>Sampled:</b>		June/July 2021	<b>Licensee: Dial A Dump (EC) Pty Ltd</b>		
		<b>Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek</b>			
		<b>EPL Nos. 20121</b>			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.6
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.6
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2.6
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.6
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	Daily average ranged between 2-38
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	15.6

<b>Sampled:</b>		May/June 2021	<b>Licensee: Dial A Dump (EC) Pty Ltd</b>		
		<b>Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek</b>			
		<b>EPL Nos. 20121</b>			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	4.1
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	3.6
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.9
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2.1
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	Daily average ranged between 7-43
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	15.8

<b>Sampled:</b>		April/May 2021	<b>Licensee: Dial A Dump (EC) Pty Ltd</b>		
		<b>Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek</b>			
		<b>EPL Nos. 20121</b>			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	10.8
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.3
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.6
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.4
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	Daily Average ranged between 9-42
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	16.0

<b>Sampled:</b>		March/April 2021	<b>Licensee: Dial A Dump (EC) Pty Ltd</b>		
		<b>Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek</b>			
		<b>EPL Nos. 20121</b>			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	0.4
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2.5
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.4
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	0.6
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	Daily average ranged between 3-31
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	15.6

<b>Sampled:</b>		February/March 2021	<b>Licensee: Dial A Dump (EC) Pty Ltd</b>		
		<b>Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek</b>			
		<b>EPL Nos. 20121</b>			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	46.2
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2.5
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	5.1
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	Daily average ranged between 0-22
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	15.3

<b>Sampled:</b>		January/February 2021	<b>Licensee: Dial A Dump (EC) Pty Ltd</b>		
		<b>Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek</b>			
		<b>EPL Nos. 20121</b>			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.4
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.8
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.2
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2.2
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	Daily average ranged between 0-32
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	14.7

<b>Sampled:</b>		December/January 2021	<b>Licensee: Dial A Dump (EC) Pty Ltd</b>		
		<b>Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek</b>			
		<b>EPL Nos. 20121</b>			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.9
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	NS
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	3.8
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.3
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	Daily average ranged between 0-31
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	17.5

<b>Sampled:</b>		November/December 2020	<b>Licensee: Dial A Dump (EC) Pty Ltd</b>		
		<b>Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek</b>			
		<b>EPL Nos. 20121</b>			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	3.1
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2.9
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	3.8
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2.5
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	Daily averages ranged between 0-38
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	20.6

<b>Sampled:</b>		October/November 2020	<b>Licensee: Dial A Dump (EC) Pty Ltd</b>		
		<b>Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek</b>			
		<b>EPL Nos. 20121</b>			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.9
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.4
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	3.3
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2.4
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	16.19
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	11.79

<b>Sampled:</b>		September/October 2020	<b>Licensee: Dial A Dump (EC) Pty Ltd</b>		
		<b>Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek</b>			
		<b>EPL Nos. 20121</b>			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.4
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	4.2
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2.6
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	16.32
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	24.16

<b>Sampled:</b>		August/September 2020	<b>Licensee: Dial A Dump (EC) Pty Ltd</b>		
		<b>Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek</b>			
		<b>EPL Nos. 20121</b>			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	0.8
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.5
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.6
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	15.44
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	24.19

<b>Sampled:</b>		July/August 2020	<b>Licensee: Dial A Dump (EC) Pty Ltd</b>		
		<b>Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek</b>			
		<b>EPL Nos. 20121</b>			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.7
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.8
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	3.5
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.4
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	15.03
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	24.46

<b>Sampled:</b>		June/July 2020	<b>Licensee: Dial A Dump (EC) Pty Ltd</b>		
		<b>Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek</b>			
		<b>EPL Nos. 20121</b>			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.1
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2.2
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2.4
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	Broken jar
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	15.03
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	24.42

<b>Sampled:</b>		May/June 2020	<b>Licensee: Dial A Dump (EC) Pty Ltd</b>		
		<b>Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek</b>			
		<b>EPL Nos. 20121</b>			

Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.5
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	5.1
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.1
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	13.59
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	24.87

Sampled: April/May 2020 Licensee: Dial A Dump (EC) Pty Ltd  
Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek  
EPL Nos. 20121

Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.2
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	3.1
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	5.1
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2.4
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	18.32
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	25.1

Sampled: March/April 2020 Licensee: Dial A Dump (EC) Pty Ltd  
Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek  
EPL Nos. 20121

Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2.6
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	6.9
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	3.1
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2.8
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	16.1
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	25.4

Sampled: Feb/March 2020 Licensee: Dial A Dump (EC) Pty Ltd  
Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek  
EPL Nos. 20121

Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.1
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.2
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	0.7
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.3
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	9.52
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	26.24

Sampled: Jan/Feb 2020 Licensee: Dial A Dump (EC) Pty Ltd  
Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek  
EPL Nos. 20121

Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	4
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	6.5
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	6.2
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	6.3
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	42.81
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	25.8

Sampled: Dec 2019/Jan 2020 Licensee: Dial A Dump (EC) Pty Ltd  
Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek  
EPL Nos. 20121

Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.6
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	4.8
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	3.5
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	3.6
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	48.78
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	23.6

Sampled: Nov/Dec 2019 Licensee: Dial A Dump (EC) Pty Ltd  
Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek  
EPL Nos. 20121

Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	3.2
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	5.2
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	3.9
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	5.2
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	45.94



BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	20.65
-----	-------------------------	------	-------------------	----	-------

<b>Sampled:</b>		Oct/Nov 2019	<b>Licensee: Dial A Dump (EC) Pty Ltd</b>		
			<b>Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek</b>		
			<b>EPL Nos. 20121</b>		
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	3.4
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	4.1
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	3
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	3.9
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	28.25
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	18.96

<b>Sampled:</b>		Sep/Oct 2019	<b>Licensee: Dial A Dump (EC) Pty Ltd</b>		
			<b>Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek</b>		
			<b>EPL Nos. 20121</b>		
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.1
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2.8
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	0.5
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	0.7
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	19.15
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	18.41

<b>Sampled:</b>		Aug/Sep 2019	<b>Licensee: Dial A Dump (EC) Pty Ltd</b>		
			<b>Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek</b>		
			<b>EPL Nos. 20121</b>		
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.7
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	12.3
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2.3
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2.2
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	17.47
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	18.25

<b>Sampled:</b>		Jul/Aug 2019	<b>Licensee: Dial A Dump (EC) Pty Ltd</b>		
			<b>Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek</b>		
			<b>EPL Nos. 20121</b>		
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	0.8
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	5.6
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.5
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	0.7
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	14.93
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	18.29

<b>Sampled:</b>		Jun/Jul 2019	<b>Licensee: Dial A Dump (EC) Pty Ltd</b>		
			<b>Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek</b>		
			<b>EPL Nos. 20121</b>		
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.4
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2.6
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.8
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	0.7
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	16.93
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	18.41

<b>Sampled:</b>		May/Jun 2019	<b>Licensee: Dial A Dump (EC) Pty Ltd</b>		
			<b>Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek</b>		
			<b>EPL Nos. 20121</b>		
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	6
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2.9
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	20.5
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	18.3

<b>Sampled:</b>		April/May 2019	<b>Licensee: Dial A Dump (EC) Pty Ltd</b>		
			<b>Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek</b>		
			<b>EPL Nos. 20121</b>		

Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.4
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.6
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2.1
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.5
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	20.8
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	18.5

<b>Sampled:</b>		Mar/April 2019	<b>Licensee: Dial A Dump (EC) Pty Ltd</b>		
Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek					
EPL Nos. 20121					
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	3.9
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2.1
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	5.3
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	5.6
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	18.2
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	18.6

<b>Sampled:</b>		Feb/Mar 2019	<b>Licensee: Dial A Dump (EC) Pty Ltd</b>		
Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek					
EPL Nos. 20121					
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.5
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	BROKEN
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	BROKEN
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2.6
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	24.7
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	18.5

<b>Sampled:</b>		Jan/Feb 2019	<b>Licensee: Dial A Dump (EC) Pty Ltd</b>		
Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek					
EPL Nos. 20121					
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	0.9
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2.2
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	3.2
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	3.2
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	19.9
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	17.6

<b>Sampled:</b>		Dec 2018/Jan 2019	<b>Licensee: Dial A Dump (EC) Pty Ltd</b>		
Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek					
EPL Nos. 20121					
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	BROKEN
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.2
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2.1
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2.9
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	17.03
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	17.8

<b>Sampled:</b>		Nov/Dec 2018	<b>Licensee: Dial A Dump (EC) Pty Ltd</b>		
Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek					
EPL Nos. 20121					
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2.7
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	3.3
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2.1
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	5.9
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	17.5
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	17.8

<b>Sampled:</b>		Oct/Nov 2018	<b>Licensee: Dial A Dump (EC) Pty Ltd</b>		
Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek					
EPL Nos. 20121					
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2.2
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2.5
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2.8

BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	19.5
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	17.2

<b>Sampled:</b>		Sep/Oct 2018	Licensee: Dial A Dump (EC) Pty Ltd		
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2.1
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.3
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.5
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	27
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	17.8

<b>Sampled:</b>		Aug/Sep 2018	Licensee: Dial A Dump (EC) Pty Ltd		
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	0.8
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.5
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.8
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.7
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	22.3
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	17.8

<b>Sampled:</b>		Aug-18	Licensee: Dial A Dump (EC) Pty Ltd		
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	0.9
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.1
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.6
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.2
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	17.2
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	18.1

<b>Sampled:</b>		Jul/Aug 2018	Licensee: Dial A Dump (EC) Pty Ltd		
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	0.9
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.5
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	0.9
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	18.8
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	17.4

<b>Sampled:</b>		Jun/Jul 2018	Licensee: Dial A Dump (EC) Pty Ltd		
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	0.8
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	0.7
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.4
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	0.5
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	12.6
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	17.9

<b>Sampled:</b>		May/Jun 2018	Licensee: Dial A Dump (EC) Pty Ltd		
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.7
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2.2
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2.6
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	24.4
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	17.6

<b>Sampled:</b>		Apr/May 2018	Licensee: Dial A Dump (EC) Pty Ltd		
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			

EPL Nos. 20121					
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.2
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2.7
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.7
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2.2
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	21.2
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	17.4

Sampled: Mar/Apr 2018 Licensee: Dial A Dump (EC) Pty Ltd					
Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek					
EPL Nos. 20121					
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.3
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.3
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2.2
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	20.9
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	16.6

Sampled: Feb/Mar 2018 Licensee: Dial A Dump (EC) Pty Ltd					
Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek					
EPL Nos. 20121					
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.8
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2.2
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	5.3
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	3.4
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	17.8
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	16.5

Sampled: Jan/Feb 2018 Licensee: Dial A Dump (EC) Pty Ltd					
Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek					
EPL Nos. 20121					
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.3
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.7
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2.4
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2.2
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	18.2
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	17.2

Sampled: Dic 2017/Jan 2018 Licensee: Dial A Dump (EC) Pty Ltd					
Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek					
EPL Nos. 20121					
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	4.8
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	6
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	15.67
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	16.5

Sampled: Nov/Dic 2017 Licensee: Dial A Dump (EC) Pty Ltd					
Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek					
EPL Nos. 20121					
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	0.9
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	0.6
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2.2
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	8.1
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	15.95

Sampled: Oct/Nov 2017 Licensee: Dial A Dump (EC) Pty Ltd					
Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek					
EPL Nos. 20121					
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.6
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.6
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2.5



West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	18.19
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	16.25

<b>Sampled:</b>		Sep/Oct 2017	<b>Licensee: Dial A Dump (EC) Pty Ltd</b>		
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	0.7
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	0.9
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	no result
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	no result
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	20.33
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	15.91

<b>Sampled:</b>		Aug /Sep 2017	<b>Licensee: Dial A Dump (EC) Pty Ltd</b>		
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	0.5
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	6
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2.1
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.4
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	17.3
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	15.9

<b>Sampled:</b>		Jul/Aug 2017	<b>Licensee: Dial A Dump (EC) Pty Ltd</b>		
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	0.2
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.5
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2.1
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	0.7
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	17
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	14.8

<b>Sampled:</b>		Jun/Jul 2017	<b>Licensee: Dial A Dump (EC) Pty Ltd</b>		
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	0.7
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.2
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	0.8
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	<0.1
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	15.4
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	15.1

<b>Sampled:</b>		May/June 2017	<b>Licensee: Dial A Dump (EC) Pty Ltd</b>		
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	0.1
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.4
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	0.2
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	13.6
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	16

<b>Sampled:</b>		April/May 2017	<b>Licensee: Dial A Dump (EC) Pty Ltd</b>		
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	0.6
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.6
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.5
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	Bottle broken
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	16.6
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	16.01

<b>Sampled:</b>		March/April 2017	<b>Licensee: Dial A Dump (EC) Pty Ltd</b>		
-----------------	--	------------------	---	--	--



Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek					
EPL Nos. 20121					
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	0.3
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	0.9
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	0.7
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	17.3
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	16.02

Sampled: February/March 2017 Licensee: Dial A Dump (EC) Pty Ltd					
Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek					
EPL Nos. 20121					
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	0.3
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	0.9
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	0.7
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	17
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	16

Sampled: January/February 2017 Licensee: Dial A Dump (EC) Pty Ltd					
Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek					
EPL Nos. 20121					
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	0.3
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2.3
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2.6
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	Funnel Broken
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	20.1
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	16

Sampled: December/January 2017 Licensee: Dial A Dump (EC) Pty Ltd					
Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek					
EPL Nos. 20121					
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	3.3
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2.5
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.4
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	17.8
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	17.4

Sampled: November/December 2016 Licensee: Dial A Dump (EC) Pty Ltd					
Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek					
EPL Nos. 20121					
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2.2
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2.4
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2.6
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	Funnel Broken
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	24
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	16

Sampled: October/November 2016 Licensee: Dial A Dump (EC) Pty Ltd					
Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek					
EPL Nos. 20121					
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.4
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.6
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2.1
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	Funnel Broken
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	29
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	16

Sampled: September/October 2016 Licensee: Dial A Dump (EC) Pty Ltd					
Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek					
EPL Nos. 20121					
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	0.5
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.1
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	0.8
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	4.1

BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	15
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	15.8

<b>Sampled:</b>		August/September 2016				Licensee: Dial A Dump (EC) Pty Ltd	
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek				EPL Nos. 20121	
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement		
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.1		
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	0.9		
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2.6		
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2.8		
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	15		
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	15.8		

<b>Sampled:</b>		July / August 2016				Licensee: Dial A Dump (EC) Pty Ltd	
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek				EPL Nos. 20121	
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement		
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	0.7		
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	0.6		
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	0.6		
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2.8		
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	10		
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	15.8		

<b>Sampled:</b>		June / July 2016				Licensee: Dial A Dump (EC) Pty Ltd	
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek				EPL Nos. 20121	
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement		
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.3		
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	0.4		
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1		
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	3.6		
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	9.9		
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	15.8		

<b>Sampled:</b>		May / June 2016				Licensee: Dial A Dump (EC) Pty Ltd	
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek				EPL Nos. 20121	
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement		
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	0.1		
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	0.8		
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.2		
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2		
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	23.6		
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	15.8		

<b>Sampled:</b>		April / May 2016				Licensee: Dial A Dump (EC) Pty Ltd	
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek				EPL Nos. 20121	
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement		
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.1		
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.3		
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.2		
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.3		
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	13.7		
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	15.8		

<b>Sampled:</b>		March/April 2016				Licensee: Dial A Dump (EC) Pty Ltd	
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek				EPL Nos. 20121	
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement		
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	0.5		
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	0.7		
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.1		
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	0.7		
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	39		
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	16		

<b>Sampled:</b>		February/March 2016				Licensee: Dial A Dump (EC) Pty Ltd	
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek				EPL Nos. 20121	
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement		
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.3		
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2.1		

South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2.1
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.5
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	20
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	15.7
BAM	Annual averaging period	Total suspended particulate	µg/m <sup>3</sup>	90	Not applicable yet

<b>Sampled:</b>	January/February 2016	<b>Licensee:</b> Dial A Dump (EC) Pty Ltd
<b>Address:</b> Genesis Waste Facility, Honeycomb Drive, Eastern Creek		
<b>EPL Nos.</b> 20121		

Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.9
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	4.3
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.7
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	0.8
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	0
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	15.7

<b>Sampled:</b>	December/January 2015-16	<b>Licensee:</b> Dial A Dump (EC) Pty Ltd
<b>Address:</b> Genesis Waste Facility, Honeycomb Drive, Eastern Creek		
<b>EPL Nos.</b> 20121		

Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.1
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.2
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2.6
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.7
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	16.7
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	15.7

<b>Sampled:</b>	November/December 2015	<b>Licensee:</b> Dial A Dump (EC) Pty Ltd
<b>Address:</b> Genesis Waste Facility, Honeycomb Drive, Eastern Creek		
<b>EPL Nos.</b> 20121		

Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	17.0
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	3.8
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.4
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.8
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	16.7
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	15.7

<b>Sampled:</b>	October/November 2015	<b>Licensee:</b> Dial A Dump (EC) Pty Ltd
<b>Address:</b> Genesis Waste Facility, Honeycomb Drive, Eastern Creek		
<b>EPL Nos.</b> 20121		

Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2.7
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.6
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.2
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.9
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	16.7
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	16.0

<b>Sampled:</b>	September/October 2015	<b>Licensee:</b> Dial A Dump (EC) Pty Ltd
<b>Address:</b> Genesis Waste Facility, Honeycomb Drive, Eastern Creek		
<b>EPL Nos.</b> 20121		

Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	0.7
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.8
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	15.2
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	16.0

<b>Sampled:</b>	August/September 2015	<b>Licensee:</b> Dial A Dump (EC) Pty Ltd
<b>Address:</b> Genesis Waste Facility, Honeycomb Drive, Eastern Creek		
<b>EPL Nos.</b> 20121		

Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	0.4
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.9
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.8
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	15.2
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	16.3



**Dial A Dump (EC) Pty Ltd  
Dust Deposition Monitoring**



*Disclaimer: Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of the Licensees' knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere or used in any way without prior consent from the Licensees. For more details on publication of pollution monitoring data refer to the NSW EPA Website [www.epa.nsw.gov.au](http://www.epa.nsw.gov.au)*

<b>Sampled:</b>		July/August 2015	<b>Licensee: Dial A Dump (EC) Pty Ltd</b>		
		<b>Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek</b>			
		<b>EPL Nos. 20121</b>			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	0.5
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	0.3
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	0.7
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.1
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	15.2
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	16.4
BAM	Annual averaging period	Total suspended particulate	µg/m <sup>3</sup>	90	Not applicable yet

<b>Sampled:</b>		June/July 2015	<b>Licensee: Dial A Dump (EC) Pty Ltd</b>		
		<b>Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek</b>			
		<b>EPL Nos. 20121</b>			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	15.7
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2.2
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	0.5
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	15.9
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	16.3
BAM	Annual averaging period	Total suspended particulate	µg/m <sup>3</sup>	90	Not applicable yet

<b>Sampled:</b>		May/June 2015	<b>Licensee: Dial A Dump (EC) Pty Ltd</b>		
		<b>Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek</b>			
		<b>EPL Nos. 20121</b>			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.4
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2.3
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.8
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	0.4
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	15.9
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	15.8
BAM	Annual averaging period	Total suspended particulate	µg/m <sup>3</sup>	90	Not applicable yet

<b>Sampled:</b>		April/May 2015	<b>Licensee: Dial A Dump (EC) Pty Ltd</b>		
		<b>Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek</b>			
		<b>EPL Nos. 20121</b>			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	Broken funnel
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2.3
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	0.8
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	Broken funnel
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	15.9
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	16.5
BAM	Annual averaging period	Total suspended particulate	µg/m <sup>3</sup>	90	Not applicable yet

<b>Sampled:</b>		March/April 2015	<b>Licensee: Dial A Dump (EC) Pty Ltd</b>		
		<b>Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek</b>			
		<b>EPL Nos. 20121</b>			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.6
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.3
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2.6
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	4
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	10.9
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	17.0
BAM	Annual averaging period	Total suspended particulate	µg/m <sup>3</sup>	90	Not applicable yet



**Dial A Dump (EC) Pty Ltd**  
**Dust Deposition Monitoring**



*Disclaimer: Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of the Licensees' knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere or used in any way without prior consent from the Licensees. For more details on publication of pollution monitoring data refer to the NSW EPA Website [www.epa.nsw.gov.au](http://www.epa.nsw.gov.au)*

<b>Sampled:</b>		February/March 2015	<b>Licensee: Dial A Dump (EC) Pty Ltd</b>		
			<b>Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek</b>		
			<b>EPL Nos. 20121</b>		
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2.8
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2.2
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2.5
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2.1
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	22.5
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	17.1
BAM	Annual averaging period	Total suspended particulate	µg/m <sup>3</sup>	90	Not applicable yet

<b>Sampled:</b>		January/February 2015	<b>Licensee: Dial A Dump (EC) Pty Ltd</b>		
			<b>Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek</b>		
			<b>EPL Nos. 20121</b>		
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.9
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.6
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.4
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.3
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	31.5
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	17.0
BAM	Annual averaging period	Total suspended particulate	µg/m <sup>3</sup>	90	Not applicable yet

<b>Sampled:</b>		December 2014/January 2015	<b>Licensee: Dial A Dump (EC) Pty Ltd</b>		
			<b>Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek</b>		
			<b>EPL Nos. 20121</b>		
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.3
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.5
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2.5
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	3.4
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	30.3
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	18.0
BAM	Annual averaging period	Total suspended particulate	µg/m <sup>3</sup>	90	Not applicable yet

<b>Sampled:</b>		November/December 2014	<b>Licensee: Dial A Dump (EC) Pty Ltd</b>		
			<b>Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek</b>		
			<b>EPL Nos. 20121</b>		
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2.6
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2.1
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2.2
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	34.9
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	18.4
BAM	Annual averaging period	Total suspended particulate	µg/m <sup>3</sup>	90	Not applicable yet

<b>Sampled:</b>		October/November 2014	<b>Licensee: Dial A Dump (EC) Pty Ltd</b>		
			<b>Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek</b>		
			<b>EPL Nos. 20121</b>		
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2.6
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.6
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.3
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	5.5
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	27.6
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	18.2
BAM	Annual averaging period	Total suspended particulate	µg/m <sup>3</sup>	90	Not applicable yet

**Dial A Dump (EC) Pty Ltd**  
**Dust Deposition Monitoring**



*Disclaimer: Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of the Licensees' knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere or used in any way without prior consent from the Licensees. For more details on publication of pollution monitoring data refer to the NSW EPA Website [www.epa.nsw.gov.au](http://www.epa.nsw.gov.au)*

<b>Sampled:</b>		September/October 2014	<b>Licensee: Dial A Dump (EC) Pty Ltd</b>		
		<b>Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek</b>			
		<b>EPL Nos. 20121</b>			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	-
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.4
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.8
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2.4
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	-
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	19.1
BAM	Annual averaging period	Total suspended particulate	µg/m <sup>3</sup>	90	Not applicable yet

<b>Sampled:</b>		August/September 2014	<b>Licensee: Dial A Dump (EC) Pty Ltd</b>		
		<b>Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek</b>			
		<b>EPL Nos. 20121</b>			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.8
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	0.2
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.8
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.9
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	-
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	18.8
BAM	Annual averaging period	Total suspended particulate	µg/m <sup>3</sup>	90	Not applicable yet

<b>Sampled:</b>		July/August 2014	<b>Licensee: Dial A Dump (EC) Pty Ltd</b>		
		<b>Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek</b>			
		<b>EPL Nos. 20121</b>			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	0.7
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.1
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2.8
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2.6
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	-
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	19.2
BAM	Annual averaging period	Total suspended particulate	µg/m <sup>3</sup>	90	Not applicable yet

<b>Sampled:</b>		June/July 2014	<b>Licensee: Dial A Dump (EC) Pty Ltd</b>		
		<b>Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek</b>			
		<b>EPL Nos. 20121</b>			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2.2
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.5
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.5
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	19.9
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	19.5
BAM	Annual averaging period	Total suspended particulate	µg/m <sup>3</sup>	90	Not applicable yet

<b>Sampled:</b>		April/June 2014	<b>Licensee: Dial A Dump (EC) Pty Ltd</b>		
		<b>Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek</b>			
		<b>EPL Nos. 20121</b>			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.8
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.4
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2.4
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.9
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	40.2
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	19.6
BAM	Annual averaging period	Total suspended particulate	µg/m <sup>3</sup>	90	Not applicable yet

**Dial A Dump (EC) Pty Ltd**  
**Dust Deposition Monitoring**



*Disclaimer: Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of the Licensees' knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere or used in any way without prior consent from the Licensees. For more details on publication of pollution monitoring data refer to the NSW EPA Website [www.epa.nsw.gov.au](http://www.epa.nsw.gov.au)*

<b>Sampled:</b>		March/April 2014	<b>Licensee: Dial A Dump (EC) Pty Ltd</b>		
		<b>Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek</b>			
		<b>EPL Nos. 20121</b>			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.1
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.5
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2.1
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	12.6
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	19.7
BAM	Annual averaging period	Total suspended particulate	µg/m <sup>3</sup>	90	Not applicable yet

<b>Sampled:</b>		February/March 2014	<b>Licensee: Dial A Dump (EC) Pty Ltd</b>		
		<b>Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek</b>			
		<b>EPL Nos. 20121</b>			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2.6
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.9
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.9
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	Funnel broken
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	-
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	19.3
BAM	Annual averaging period	Total suspended particulate	µg/m <sup>3</sup>	90	Not applicable yet

<b>Sampled:</b>		December 2013/January 2014	<b>Licensee: Dial A Dump (EC) Pty Ltd</b>		
		<b>Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek</b>			
		<b>EPL Nos. 20121</b>			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.6
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.5
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.9
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.8
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	28.7
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	19.3
BAM	Annual averaging period	Total suspended particulate	µg/m <sup>3</sup>	90	Not applicable yet

<b>Sampled:</b>		November/December 2013	<b>Licensee: Dial A Dump (EC) Pty Ltd</b>		
		<b>Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek</b>			
		<b>EPL Nos. 20121</b>			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2.8
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	3.3
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	4.0
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	4.3
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	22.4
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	19.4
BAM	Annual averaging period	Total suspended particulate	µg/m <sup>3</sup>	90	Not applicable yet

<b>Sampled:</b>		October/November 2013	<b>Licensee: Dial A Dump (EC) Pty Ltd</b>		
		<b>Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek</b>			
		<b>EPL Nos. 20121</b>			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2.2
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	0.9
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2.2
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2.2 (Insects, glass funnel broken)
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	15.7
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	19.5
BAM	Annual averaging period	Total suspended particulate	µg/m <sup>3</sup>	90	Not applicable yet



**Dial A Dump (EC) Pty Ltd  
Dust Deposition Monitoring**



*Disclaimer: Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of the Licensees' knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere or used in any way without prior consent from the Licensees. For more details on publication of pollution monitoring data refer to the NSW EPA Website [www.epa.nsw.gov.au](http://www.epa.nsw.gov.au)*

<b>Sampled:</b>		September/October 2013	<b>Licensee: Dial A Dump (EC) Pty Ltd</b>		
		<b>Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek</b>			
		<b>EPL Nos. 20121</b>			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2.2
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2.2 (Insects, sample dried out and had broken glass funnel)
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2.5
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2.3
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	18.4
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	18.9
BAM	Annual averaging period	Total suspended particulate	µg/m <sup>3</sup>	90	Not applicable yet

<b>Sampled:</b>		August/September 2013	<b>Licensee: Dial A Dump (EC) Pty Ltd</b>		
		<b>Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek</b>			
		<b>EPL Nos. 20121</b>			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.3
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	3.5
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2.0
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.6
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	18.9
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	18.4
BAM	Annual averaging period	Total suspended particulate	µg/m <sup>3</sup>	90	Not applicable yet

<b>Sampled:</b>		July/August 2013	<b>Licensee: Dial A Dump (EC) Pty Ltd</b>		
		<b>Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek</b>			
		<b>EPL Nos. 20121</b>			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.9
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.5
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	0.3
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	18.6
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	17.3
BAM	Annual averaging period	Total suspended particulate	µg/m <sup>3</sup>	90	Not applicable yet

<b>Sampled:</b>		June/July 2013	<b>Licensee: Dial A Dump (EC) Pty Ltd</b>		
		<b>Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek</b>			
		<b>EPL Nos. 20121</b>			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	0.7
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.8
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.7
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	0.7
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	17.8
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	Not applicable yet
BAM	Annual averaging period	Total suspended particulate	µg/m <sup>3</sup>	90	Not applicable yet

<b>Sampled:</b>		May/June 2013	<b>Licensee: Dial A Dump (EC) Pty Ltd</b>		
		<b>Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek</b>			
		<b>EPL Nos. 20121</b>			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	0.5
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.3
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.1
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	0.3
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	17
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	Not applicable yet
BAM	Annual averaging period	Total suspended particulate	µg/m <sup>3</sup>	90	Not applicable yet



**Dial A Dump (EC) Pty Ltd**  
**Dust Deposition Monitoring**



*Disclaimer: Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of the Licensees' knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere or used in any way without prior consent from the Licensees. For more details on publication of pollution monitoring data refer to the NSW EPA Website [www.epa.nsw.gov.au](http://www.epa.nsw.gov.au)*

<b>Sampled:</b> April/May 2013		<b>Licensee:</b> Dial A Dump (EC) Pty Ltd			
<b>Address:</b> Genesis Waste Facility, Honeycomb Drive, Eastern Creek					
<b>EPL Nos.</b> 20121					
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	0.8
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.3
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	0.7
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	16.6
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	Not applicable yet
BAM	Annual averaging period	Total suspended particulate	µg/m <sup>3</sup>	90	Not applicable yet

<b>Sampled:</b> March/April 2013		<b>Licensee:</b> Dial A Dump (EC) Pty Ltd			
<b>Address:</b> Genesis Waste Facility, Honeycomb Drive, Eastern Creek					
<b>EPL Nos.</b> 20121					
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.4
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.3
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.7
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2.8
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	16
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	Not applicable yet
BAM	Annual averaging period	Total suspended particulate	µg/m <sup>3</sup>	90	Not applicable yet

<b>Sampled:</b> February/March 2013		<b>Licensee:</b> Dial A Dump (EC) Pty Ltd			
<b>Address:</b> Genesis Waste Facility, Honeycomb Drive, Eastern Creek					
<b>EPL Nos.</b> 20121					
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	0.7
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2.1
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	0.7
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	0.6
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	16
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	Not applicable yet
BAM	Annual averaging period	Total suspended particulate	µg/m <sup>3</sup>	90	Not applicable yet

<b>Sampled:</b> December 2012/January 2013		<b>Licensee:</b> Dial A Dump (EC) Pty Ltd			
<b>Address:</b> Genesis Waste Facility, Honeycomb Drive, Eastern Creek					
<b>EPL Nos.</b> 20121					
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	0.7
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	Broken sample due to wildlife since replaced and relocated
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	No results (unable to access sample due to sighting of snakes) now resolved.
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	31µg/m3 (period max.)
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	Not applicable yet
BAM	Annual averaging period	Total suspended particulate	µg/m <sup>3</sup>	90	Not applicable yet

<b>Sampled:</b> November/December 2012		<b>Licensee:</b> Dial A Dump (EC) Pty Ltd			
<b>Address:</b> Genesis Waste Facility, Honeycomb Drive, Eastern Creek					
<b>EPL Nos.</b> 20121					
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.4
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	7.1
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	2.3
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	No results (unable to access sample due to sighting of snakes) now resolved.
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	31
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	Not applicable yet
BAM	Annual averaging period	Total suspended particulate	µg/m <sup>3</sup>	90	Not applicable yet

**Dial A Dump (EC) Pty Ltd**  
**Dust Deposition Monitoring**



*Disclaimer: Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of the Licensees' knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere or used in any way without prior consent from the Licensees. For more details on publication of pollution monitoring data refer to the NSW EPA Website [www.epa.nsw.gov.au](http://www.epa.nsw.gov.au)*

<b>Sampled:</b>		September/November 2012	<b>Licensee: Dial A Dump (EC) Pty Ltd</b>		
<b>Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek</b>					
<b>EPL Nos. 20121</b>					
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	0.75
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.05
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.1
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1.05
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	11
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	Not applicable yet
BAM	Annual averaging period	Total suspended particulate	µg/m <sup>3</sup>	90	Not applicable yet

<b>Sampled:</b>		July/August 2012	<b>Licensee: Dial A Dump (EC) Pty Ltd</b>		
<b>Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek</b>					
<b>EPL Nos. 20121</b>					
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	6.2
East DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	No results available
South DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	0.8
West DDG	Monthly	Total Insoluble Solids	g/m <sup>2</sup> /month	4	1
BAM	24 hour averaging period	PM10	µg/m <sup>3</sup>	50	11
BAM	Annual averaging period	PM10	µg/m <sup>3</sup>	30	Not applicable yet
BAM	Annual averaging period	Total suspended particulate	µg/m <sup>3</sup>	90	Not applicable yet