Dial A Dump (EC) Pty Ltd
Groundwater Quality Monitoring

Licensee: Dial A Dump (EC) Pty Ltd
Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek
EPL Nos. 13426

Disclaimer: Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of the Licensees' knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere or used in any way without prior consent from the Licencees. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

BH22s		2017				2018				2019				2020			
Pollutant	Units	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4
Alkalinity (total) as CaCO3	mg/L		129	86	642	837	993	940	950	960	1,000	1,000	1,000	1,000	910	1,000	960
Aluminium (filtered)	mg/L					<0.01				<0.01				0.03			
Arsenic (filtered)	mg/L					<0.001				<0.001				<0.001			
Barium (filtered)	mg/L					0.493				0.18				0.087			
Benzene	µg/L					<1				<1				<1			
Cadmium (filtered)	mg/L					<0.0001				<0.0001				<0.0001			
Calcium (filtered)	mg/L		16	18	13	26	24	21	23	24	19	27	30	29	23	26	29
Chloride	mg/L		76	39	409	499	669	580	630	600	590	550	550	600	580	630	480
Chromium (III+VI) (filtered)	mg/L					<0.001				<0.001				<0.001			
Copper (filtered)	mg/L					<0.001				0.051				0.003			
EC (field)	uS/cm		580	388	2,311	4,738	2,564	4,110	3,922	3,718	3,684	4,055	3,940	4,398	3,946	3,855	4,173
Ethylbenzene	µg/L					<2				<1				<1			
Fluoride	mg/L			1.1	1	0.8	0.4			0.1				0.3			
Lead (filtered)	mg/L					<0.001				0.005				<0.001			
Magnesium (filtered)	mg/L		6	3	9	15	16	15	15	17	16	21	26	22	16	17	24
Manganese (filtered)	mg/L					0.087				0.046				0.017			
Mercury (filtered)	mg/L					<0.0001				0.00005				<0.00005			
Nitrogen (Total Oxidised)	mg/L		0.51	0.56	1.9	2.01	1.85	0.017		0.009	0.026	1.624	1.8	1.6	0.02	0.06	0.3
Ammonia	mg/L		0.39	0.3	0.48	1.03	1.18	1	1.5	1.5	0.93	0.38	0.016	0.29	0.53	0.85	0.92
pH (Field)	-		8.51	8.39	7.51	7.89	7.63	7.52	7.45	7.81	7.85	7.87	8.17	7.64	6.76	7.44	7.37
Phenolics Total	µg/L													<50			
Phosphorus	mg/L					<0.01				<0.05				<0.05			
Potassium (filtered)	mg/L		3	2	5	6	7	11	9.6	8.3	8.8	9.1	10	7.9	7.9	8.9	9.2
Redox Potential (Field)	mV		-124.2	-134.3	30.9	-25.2	89.7	-71	-76.1	6.3	-76	-26.5	-38.1	-79.5	-69.1	-66.2	-9.5
Sodium (filtered)	mg/L		95	37	516	759	906	960	1,100	1,100	850	900	960	840	820	980	890
Sulphate	mg/L		34	18	179	213	270	210	190	240	280	240	420	390	310	280	240
Toluene	µg/L					<2				<1				<1			
TOC	mg/L					5				14				9			
Xylene Total	µg/L					<2											
Xylene (m & p)	µg/L					<2				<2				<2			
Zinc (filtered)	mg/L					0.008				0.14				0.017			
C10-C14	µg/L					<50								<50			
C10-C16	mg/L					<0.1				<0.05				<0.05			
C15-C28	µg/L					<100								<100			
C16-C34	mg/L					<0.1				<0.1				<0.1			
C29-C36	µg/L					<50								<100			
C34-C40	mg/L					<0.1				<0.1				<0.1			
C6-C10	mg/L					<0.02				<0.01				<0.01			
C6-C9	µg/L					<20				<10				<10			
F2 minus Naphthalene	mg/L					<0.1				<0.05				<0.05			
C10-C40 (Sum of total)	µg/L					<100											
+C10-C36 (Sum of total)	µg/L					<50											

BH22s		2021				2022				2023				2024			
Pollutant	Units	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4
Alkalinity (total) as CaCO3	mg/L	960	950														
Aluminium (filtered)	mg/L	<0.01															
Arsenic (filtered)	mg/L	<0.001															
Barium (filtered)	mg/L	0.099															
Benzene	µg/L	<1															
Cadmium (filtered)	mg/L	<0.0001															
Calcium (filtered)	mg/L	26	29														
Chloride	mg/L	540	430														
Chromium (III+VI) (filtered)	mg/L	<0.001															
Copper (filtered)	mg/L	<0.001															
EC (field)	uS/cm	3,802	3,452														
Ethylbenzene	µg/L	<1															
Fluoride	mg/L	0.5															
Lead (filtered)	mg/L	<0.001															
Magnesium (filtered)	mg/L	21	21														
Manganese (filtered)	mg/L	0.03															
Mercury (filtered)	mg/L	<0.00005															
Nitrogen (Total Oxidised)	mg/L	0.01															
Ammonia	mg/L	0.89	0.066														
pH (Field)	-	7.29	5.86														
Phenolics Total	µg/L	<50															
Phosphorus	mg/L	<0.05															
Potassium (filtered)	mg/L	8.3	9.6														
Redox Potential (Field)	mV	-134.5	66.6														
Sodium (filtered)	mg/L	900	900														
Sulphate	mg/L	310	330														
Toluene	µg/L	<1															
TOC	mg/L	8															
Xylene Total	µg/L																
Xylene (m & p)	µg/L	<2															
Zinc (filtered)	mg/L	0.16															
TPH																	
C10-C14	µg/L	<50															
C10-C16	mg/L	<0.05															
C15-C28	µg/L	<100															
C16-C34	mg/L	<0.1															
C29-C36	µg/L	<100															
C34-C40	mg/L	<0.1															
C6-C10	mg/L	<0.01															
C6-C9	µg/L	<10															
F2 minus Naphthalene	mg/L	<0.05															
C10-C40 (Sum of total)	µg/L																
+C10-C36 (Sum of total)	µg/L																