

Dial A Dump (EC) Pty Ltd
Dust Deposition Monitoring



Disclaimer: Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of the Licensees' knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere or used in any way without prior consent from the Licensees. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

Sampled:		April/May 2020	Licensee: Dial A Dump (EC) Pty Ltd		
			Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek		
			EPL Nos. 20121		
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.2
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	3.1
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	5.1
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.4
BAM	24 hour averaging period	PM10	µg/m ³	50	18.32
BAM	Annual averaging period	PM10	µg/m ³	30	25.1

Sampled:		March/April 2020	Licensee: Dial A Dump (EC) Pty Ltd		
			Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek		
			EPL Nos. 20121		
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.6
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	6.9
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	3.1
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.8
BAM	24 hour averaging period	PM10	µg/m ³	50	16.1
BAM	Annual averaging period	PM10	µg/m ³	30	25.4

Sampled:		Feb/March 2020	Licensee: Dial A Dump (EC) Pty Ltd		
			Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek		
			EPL Nos. 20121		
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.1
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.2
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.7
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.3
BAM	24 hour averaging period	PM10	µg/m ³	50	9.52
BAM	Annual averaging period	PM10	µg/m ³	30	26.24

Sampled:		Jan/Feb 2020	Licensee: Dial A Dump (EC) Pty Ltd		
			Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek		
			EPL Nos. 20121		
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	4
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	6.5
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	6.2
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	6.3
BAM	24 hour averaging period	PM10	µg/m ³	50	42.81
BAM	Annual averaging period	PM10	µg/m ³	30	25.8

Sampled:		Dec 2019/Jan 2020	Licensee: Dial A Dump (EC) Pty Ltd		
			Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek		
			EPL Nos. 20121		
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.6
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	4.8
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	3.5
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	3.6
BAM	24 hour averaging period	PM10	µg/m ³	50	48.78
BAM	Annual averaging period	PM10	µg/m ³	30	23.6

Sampled:		Nov/Dec 2019	Licensee: Dial A Dump (EC) Pty Ltd		
			Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek		
			EPL Nos. 20121		
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	3.2
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	5.2
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	3.9
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	5.2

BAM	24 hour averaging period	PM10	$\mu\text{g}/\text{m}^3$	50	45.94
BAM	Annual averaging period	PM10	$\mu\text{g}/\text{m}^3$	30	20.65

Sampled:		Oct/Nov 2019	Licensee: Dial A Dump (EC) Pty Ltd		
			Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek		
			EPL Nos. 20121		
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	$\text{g}/\text{m}^2/\text{month}$	4	3.4
East DDG	Monthly	Total Insoluble Solids	$\text{g}/\text{m}^2/\text{month}$	4	4.1
South DDG	Monthly	Total Insoluble Solids	$\text{g}/\text{m}^2/\text{month}$	4	3
West DDG	Monthly	Total Insoluble Solids	$\text{g}/\text{m}^2/\text{month}$	4	3.9
BAM	24 hour averaging period	PM10	$\mu\text{g}/\text{m}^3$	50	28.25
BAM	Annual averaging period	PM10	$\mu\text{g}/\text{m}^3$	30	18.96

Sampled:		Sep/Oct 2019	Licensee: Dial A Dump (EC) Pty Ltd		
			Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek		
			EPL Nos. 20121		
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	$\text{g}/\text{m}^2/\text{month}$	4	1.1
East DDG	Monthly	Total Insoluble Solids	$\text{g}/\text{m}^2/\text{month}$	4	2.8
South DDG	Monthly	Total Insoluble Solids	$\text{g}/\text{m}^2/\text{month}$	4	0.5
West DDG	Monthly	Total Insoluble Solids	$\text{g}/\text{m}^2/\text{month}$	4	0.7
BAM	24 hour averaging period	PM10	$\mu\text{g}/\text{m}^3$	50	19.15
BAM	Annual averaging period	PM10	$\mu\text{g}/\text{m}^3$	30	18.41

Sampled:		Aug/Sep 2019	Licensee: Dial A Dump (EC) Pty Ltd		
			Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek		
			EPL Nos. 20121		
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	$\text{g}/\text{m}^2/\text{month}$	4	1.7
East DDG	Monthly	Total Insoluble Solids	$\text{g}/\text{m}^2/\text{month}$	4	12.3
South DDG	Monthly	Total Insoluble Solids	$\text{g}/\text{m}^2/\text{month}$	4	2.3
West DDG	Monthly	Total Insoluble Solids	$\text{g}/\text{m}^2/\text{month}$	4	2.2
BAM	24 hour averaging period	PM10	$\mu\text{g}/\text{m}^3$	50	17.47
BAM	Annual averaging period	PM10	$\mu\text{g}/\text{m}^3$	30	18.25

Sampled:		Jul/Aug 2019	Licensee: Dial A Dump (EC) Pty Ltd		
			Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek		
			EPL Nos. 20121		
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	$\text{g}/\text{m}^2/\text{month}$	4	0.8
East DDG	Monthly	Total Insoluble Solids	$\text{g}/\text{m}^2/\text{month}$	4	5.6
South DDG	Monthly	Total Insoluble Solids	$\text{g}/\text{m}^2/\text{month}$	4	1.5
West DDG	Monthly	Total Insoluble Solids	$\text{g}/\text{m}^2/\text{month}$	4	0.7
BAM	24 hour averaging period	PM10	$\mu\text{g}/\text{m}^3$	50	14.93
BAM	Annual averaging period	PM10	$\mu\text{g}/\text{m}^3$	30	18.29

Sampled:		Jun/Jul 2019	Licensee: Dial A Dump (EC) Pty Ltd		
			Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek		
			EPL Nos. 20121		
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	$\text{g}/\text{m}^2/\text{month}$	4	1.4
East DDG	Monthly	Total Insoluble Solids	$\text{g}/\text{m}^2/\text{month}$	4	2.6
South DDG	Monthly	Total Insoluble Solids	$\text{g}/\text{m}^2/\text{month}$	4	1.8
West DDG	Monthly	Total Insoluble Solids	$\text{g}/\text{m}^2/\text{month}$	4	0.7
BAM	24 hour averaging period	PM10	$\mu\text{g}/\text{m}^3$	50	16.93
BAM	Annual averaging period	PM10	$\mu\text{g}/\text{m}^3$	30	18.41

Sampled:		May/Jun 2019	Licensee: Dial A Dump (EC) Pty Ltd		
			Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek		
			EPL Nos. 20121		
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	$\text{g}/\text{m}^2/\text{month}$	4	2
East DDG	Monthly	Total Insoluble Solids	$\text{g}/\text{m}^2/\text{month}$	4	6
South DDG	Monthly	Total Insoluble Solids	$\text{g}/\text{m}^2/\text{month}$	4	2.9
West DDG	Monthly	Total Insoluble Solids	$\text{g}/\text{m}^2/\text{month}$	4	2
BAM	24 hour averaging period	PM10	$\mu\text{g}/\text{m}^3$	50	20.5
BAM	Annual averaging period	PM10	$\mu\text{g}/\text{m}^3$	30	18.3

Sampled:		April/May 2019	Licensee: Dial A Dump (EC) Pty Ltd		
----------	--	----------------	------------------------------------	--	--

Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek					
EPL Nos. 20121					
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.4
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.6
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.1
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.5
BAM	24 hour averaging period	PM10	µg/m ³	50	20.8
BAM	Annual averaging period	PM10	µg/m ³	30	18.5

Sampled:		Mar/April 2019		Licensee: Dial A Dump (EC) Pty Ltd	
				Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek	
				EPL Nos. 20121	
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	3.9
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.1
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	5.3
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	5.6
BAM	24 hour averaging period	PM10	µg/m ³	50	18.2
BAM	Annual averaging period	PM10	µg/m ³	30	18.6

Sampled: Feb/Mar 2019		Licensee: Dial A Dump (EC) Pty Ltd			
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.5
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	BROKEN
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	BROKEN
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.6
BAM	24 hour averaging period	PM10	µg/m ³	50	24.7
BAM	Annual averaging period	PM10	µg/m ³	30	18.5

Sampled: Jan/Feb 2019		Licensee: Dial A Dump (EC) Pty Ltd			
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.9
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.2
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	3.2
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	3.2
BAM	24 hour averaging period	PM10	µg/m ³	50	19.9
BAM	Annual averaging period	PM10	µg/m ³	30	17.6

Sampled: Dec 2018/Jan 2019		Licensee: Dial A Dump (EC) Pty Ltd			
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	BROKEN
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.2
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.1
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.9
BAM	24 hour averaging period	PM10	µg/m ³	50	17.03
BAM	Annual averaging period	PM10	µg/m ³	30	17.8

Sampled:		Nov/Dec 2018		Licensee: Dial A Dump (EC) Pty Ltd		
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek				
		EPL Nos. 20121				
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement	
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.7	
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	3.3	
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.1	
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	5.9	
BAM	24 hour averaging period	PM10	µg/m ³	50	17.5	
BAM	Annual averaging period	PM10	µg/m ³	30	17.8	

Sampled:		Oct/Nov 2018				Licensee: Dial A Dump (EC) Pty Ltd					
						Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek					
						EPL Nos. 20121					
Sampling point		Monitoring frequency		Pollutant		Unit		Limit		Measurement	
North DDG		Monthly		Total Insoluble Solids		g/m ² /month		4		2.2	

East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.5
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.8
BAM	24 hour averaging period	PM10	µg/m ³	50	19.5
BAM	Annual averaging period	PM10	µg/m ³	30	17.2

Sampled: Sep/Oct 2018		Licensee: Dial A Dump (EC) Pty Ltd			
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.1
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.3
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.5
BAM	24 hour averaging period	PM10	µg/m ³	50	27
BAM	Annual averaging period	PM10	µg/m ³	30	17.8

Sampled: Aug/Sep 2018		Licensee: Dial A Dump (EC) Pty Ltd			
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.8
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.5
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.8
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.7
BAM	24 hour averaging period	PM10	µg/m ³	50	22.3
BAM	Annual averaging period	PM10	µg/m ³	30	17.8

Sampled: Aug-18		Licensee: Dial A Dump (EC) Pty Ltd			
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.9
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.1
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.6
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.2
BAM	24 hour averaging period	PM10	µg/m ³	50	17.2
BAM	Annual averaging period	PM10	µg/m ³	30	18.1

Sampled: Jul/Aug 2018		Licensee: Dial A Dump (EC) Pty Ltd			
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.9
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.5
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.9
BAM	24 hour averaging period	PM10	µg/m ³	50	18.8
BAM	Annual averaging period	PM10	µg/m ³	30	17.4

Sampled: Jun/Jul 2018		Licensee: Dial A Dump (EC) Pty Ltd			
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.8
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.7
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.4
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.5
BAM	24 hour averaging period	PM10	µg/m ³	50	12.6
BAM	Annual averaging period	PM10	µg/m ³	30	17.9

Sampled: May/Jun 2018		Licensee: Dial A Dump (EC) Pty Ltd			
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.7
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.2
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.6
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2
BAM	24 hour averaging period	PM10	µg/m ³	50	24.4
BAM	Annual averaging period	PM10	µg/m ³	30	17.6

Sampled: Apr/May 2018		Licensee: Dial A Dump (EC) Pty Ltd			
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.2
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.7
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.7
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.2
BAM	24 hour averaging period	PM10	µg/m ³	50	21.2
BAM	Annual averaging period	PM10	µg/m ³	30	17.4

Sampled: Mar/Apr 2018		Licensee: Dial A Dump (EC) Pty Ltd			
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.3
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.3
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.2
BAM	24 hour averaging period	PM10	µg/m ³	50	20.9
BAM	Annual averaging period	PM10	µg/m ³	30	16.6

Sampled: Feb/Mar 2018		Licensee: Dial A Dump (EC) Pty Ltd			
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.8
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.2
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	5.3
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	3.4
BAM	24 hour averaging period	PM10	µg/m ³	50	17.8
BAM	Annual averaging period	PM10	µg/m ³	30	16.5

Sampled: Jan/Feb 2018		Licensee: Dial A Dump (EC) Pty Ltd			
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.3
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.7
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.4
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.2
BAM	24 hour averaging period	PM10	µg/m ³	50	18.2
BAM	Annual averaging period	PM10	µg/m ³	30	17.2

Sampled: Dic 2017/Jan 2018		Licensee: Dial A Dump (EC) Pty Ltd			
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	4.8
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	6
BAM	24 hour averaging period	PM10	µg/m ³	50	15.67
BAM	Annual averaging period	PM10	µg/m ³	30	16.5

Sampled: Nov/Dic 2017		Licensee: Dial A Dump (EC) Pty Ltd			
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.9
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.6
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.2
BAM	24 hour averaging period	PM10	µg/m ³	50	8.1
BAM	Annual averaging period	PM10	µg/m ³	30	15.95

Sampled: Oct/Nov 2017		Licensee: Dial A Dump (EC) Pty Ltd			
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			

Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.6
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.6
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.5
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2
BAM	24 hour averaging period	PM10	µg/m ³	50	18.19
BAM	Annual averaging period	PM10	µg/m ³	30	16.25

Sampled: Sep/Oct 2017		Licensee: Dial A Dump (EC) Pty Ltd			
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.7
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.9
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	no result
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	no result
BAM	24 hour averaging period	PM10	µg/m ³	50	20.33
BAM	Annual averaging period	PM10	µg/m ³	30	15.91

Sampled: Aug /Sep 2017		Licensee: Dial A Dump (EC) Pty Ltd			
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.5
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	6
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.1
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.4
BAM	24 hour averaging period	PM10	µg/m ³	50	17.3
BAM	Annual averaging period	PM10	µg/m ³	30	15.9

Sampled: Jul/Aug 2017		Licensee: Dial A Dump (EC) Pty Ltd			
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.2
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.5
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.1
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.7
BAM	24 hour averaging period	PM10	µg/m ³	50	17
BAM	Annual averaging period	PM10	µg/m ³	30	14.8

Sampled: Jun/Jul 2017		Licensee: Dial A Dump (EC) Pty Ltd			
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.7
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.2
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.8
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	<0.1
BAM	24 hour averaging period	PM10	µg/m ³	50	15.4
BAM	Annual averaging period	PM10	µg/m ³	30	15.1

Sampled: May/Jun 2017		Licensee: Dial A Dump (EC) Pty Ltd			
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.1
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.4
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.2
BAM	24 hour averaging period	PM10	µg/m ³	50	13.6
BAM	Annual averaging period	PM10	µg/m ³	30	16

Sampled: April/May 2017		Licensee: Dial A Dump (EC) Pty Ltd			
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.6
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.6
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.5
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	Bottle broken

BAM	24 hour averaging period	PM10	µg/m ³	50	16.6
BAM	Annual averaging period	PM10	µg/m ³	30	16.01

Sampled: March/April 2017		Licensee: Dial A Dump (EC) Pty Ltd			
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.3
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.9
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.7
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1
BAM	24 hour averaging period	PM10	µg/m ³	50	17.3
BAM	Annual averaging period	PM10	µg/m ³	30	16.02

Sampled: February/March 2017		Licensee: Dial A Dump (EC) Pty Ltd			
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.3
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.9
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.7
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1
BAM	24 hour averaging period	PM10	µg/m ³	50	17
BAM	Annual averaging period	PM10	µg/m ³	30	16

Sampled: January/February 2017		Licensee: Dial A Dump (EC) Pty Ltd			
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.3
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.3
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.6
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	Funnel Broken
BAM	24 hour averaging period	PM10	µg/m ³	50	20.1
BAM	Annual averaging period	PM10	µg/m ³	30	16

Sampled: December/January 2017		Licensee: Dial A Dump (EC) Pty Ltd			
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	3.3
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.5
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.4
BAM	24 hour averaging period	PM10	µg/m ³	50	17.8
BAM	Annual averaging period	PM10	µg/m ³	30	17.4

Sampled: November/December 2016		Licensee: Dial A Dump (EC) Pty Ltd			
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.2
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.4
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.6
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	Funnel Broken
BAM	24 hour averaging period	PM10	µg/m ³	50	24
BAM	Annual averaging period	PM10	µg/m ³	30	16

Sampled: October/November 2016		Licensee: Dial A Dump (EC) Pty Ltd			
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.4
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.6
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.1
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	Funnel Broken
BAM	24 hour averaging period	PM10	µg/m ³	50	29
BAM	Annual averaging period	PM10	µg/m ³	30	16

Sampled: September/October 2016		Licensee: Dial A Dump (EC) Pty Ltd			
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			

Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.5
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.1
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.8
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	4.1
BAM	24 hour averaging period	PM10	µg/m ³	50	15
BAM	Annual averaging period	PM10	µg/m ³	30	15.8

Sampled: August/September 2016		Licensee: Dial A Dump (EC) Pty Ltd			
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.1
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.9
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.6
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.8
BAM	24 hour averaging period	PM10	µg/m ³	50	15
BAM	Annual averaging period	PM10	µg/m ³	30	15.8

Sampled: July / August 2016		Licensee: Dial A Dump (EC) Pty Ltd			
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.7
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.6
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.6
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.8
BAM	24 hour averaging period	PM10	µg/m ³	50	10
BAM	Annual averaging period	PM10	µg/m ³	30	15.8

Sampled: June / July 2016		Licensee: Dial A Dump (EC) Pty Ltd			
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.3
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.4
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	3.6
BAM	24 hour averaging period	PM10	µg/m ³	50	9.9
BAM	Annual averaging period	PM10	µg/m ³	30	15.8

Sampled: May / June 2016		Licensee: Dial A Dump (EC) Pty Ltd			
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.1
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.8
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.2
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2
BAM	24 hour averaging period	PM10	µg/m ³	50	23.6
BAM	Annual averaging period	PM10	µg/m ³	30	15.8

Sampled: April / May 2016		Licensee: Dial A Dump (EC) Pty Ltd			
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.1
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.3
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.2
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.3
BAM	24 hour averaging period	PM10	µg/m ³	50	13.7
BAM	Annual averaging period	PM10	µg/m ³	30	15.8

Sampled: March/April 2016		Licensee: Dial A Dump (EC) Pty Ltd			
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.5
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.7
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.1
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.7
BAM	24 hour averaging period	PM10	µg/m ³	50	39
BAM	Annual averaging period	PM10	µg/m ³	30	16

Sampled: February/March 2016		Licensee: Dial A Dump (EC) Pty Ltd			
------------------------------	--	------------------------------------	--	--	--

Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek					
EPL Nos. 20121					
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.3
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.1
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.1
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.5
BAM	24 hour averaging period	PM10	µg/m ³	50	20
BAM	Annual averaging period	PM10	µg/m ³	30	15.7
BAM	Annual averaging period	Total suspended particulate	µg/m ³	90	Not applicable yet

Sampled:		January/February 2016				Licensee: Dial A Dump (EC) Pty Ltd			
						Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
						EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement				
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.9				
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	4.3				
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.7				
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.8				
BAM	24 hour averaging period	PM10	µg/m ³	50	0				
BAM	Annual averaging period	PM10	µg/m ³	30	15.7				

Sampled:		December/January 2015-16				Licensee: Dial A Dump (EC) Pty Ltd			
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek							
		EPL Nos. 20121							
Sampling point		Monitoring frequency		Pollutant		Unit	Limit	Measurement	
North DDG		Monthly		Total Insoluble Solids		g/m ² /month	4	1.1	
East DDG		Monthly		Total Insoluble Solids		g/m ² /month	4	1.2	
South DDG		Monthly		Total Insoluble Solids		g/m ² /month	4	2.6	
West DDG		Monthly		Total Insoluble Solids		g/m ² /month	4	1.7	
BAM		24 hour averaging period		PM10		µg/m ³	50	16.7	
BAM		Annual averaging period		PM10		µg/m ³	30	15.7	

Sampled:		November/December 2015		Licensee: Dial A Dump (EC) Pty Ltd		
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek				
		EPL Nos. 20121				
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement	
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	17.0	
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	3.8	
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.4	
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.8	
BAM	24 hour averaging period	PM10	µg/m ³	50	16.7	
BAM	Annual averaging period	PM10	µg/m ³	30	15.7	

Sampled:		October/November 2015		Licensee: Dial A Dump (EC) Pty Ltd		
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek				
		EPL Nos. 20121				
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement	
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.7	
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.6	
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.2	
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.9	
BAM	24 hour averaging period	PM10	µg/m ³	50	16.7	
BAM	Annual averaging period	PM10	µg/m ³	30	16.0	

Sampled:		September/October 2015				Licensee: Dial A Dump (EC) Pty Ltd			
						Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
						EPL Nos. 20121			
Sampling point		Monitoring frequency		Pollutant		Unit	Limit	Measurement	
North DDG		Monthly		Total Insoluble Solids		g/m ² /month	4	1	
East DDG		Monthly		Total Insoluble Solids		g/m ² /month	4	1	
South DDG		Monthly		Total Insoluble Solids		g/m ² /month	4	0.7	
West DDG		Monthly		Total Insoluble Solids		g/m ² /month	4	1.8	
BAM		24 hour averaging period		PM10		µg/m ³	50	15.2	
BAM		Annual averaging period		PM10		µg/m ³	30	16.0	

Sampled:		August/September 2015		Licensee: Dial A Dump (EC) Pty Ltd	
				Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek	
				EPL Nos. 20121	
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.4
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1

South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.9
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.8
BAM	24 hour averaging period	PM10	µg/m ³	50	15.2
BAM	Annual averaging period	PM10	µg/m ³	30	16.3

Dial A Dump (EC) Pty Ltd
Dust Deposition Monitoring



Disclaimer: Monitoring data contained in this document is made available as required by Section 66(5) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of the Licensees' knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere or used in any way without prior consent from the Licensees. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

Sampled:		July/August 2015	Licensee: Dial A Dump (EC) Pty Ltd		
			Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek		
			EPL Nos. 20121		
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.5
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.3
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.7
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.1
BAM	24 hour averaging period	PM10	µg/m ³	50	15.2
BAM	Annual averaging period	PM10	µg/m ³	30	16.4
BAM	Annual averaging period	Total suspended particulate	µg/m ³	90	Not applicable yet

Sampled:		June/July 2015	Licensee: Dial A Dump (EC) Pty Ltd		
			Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek		
			EPL Nos. 20121		
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	15.7
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.2
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.5
BAM	24 hour averaging period	PM10	µg/m ³	50	15.9
BAM	Annual averaging period	PM10	µg/m ³	30	16.3
BAM	Annual averaging period	Total suspended particulate	µg/m ³	90	Not applicable yet

Sampled:		May/June 2015	Licensee: Dial A Dump (EC) Pty Ltd		
			Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek		
			EPL Nos. 20121		
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.4
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.3
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.8
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.4
BAM	24 hour averaging period	PM10	µg/m ³	50	15.9
BAM	Annual averaging period	PM10	µg/m ³	30	15.8
BAM	Annual averaging period	Total suspended particulate	µg/m ³	90	Not applicable yet

Sampled:		April/May 2015	Licensee: Dial A Dump (EC) Pty Ltd		
			Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek		
			EPL Nos. 20121		
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	Broken funnel
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.3
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.8
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	Broken funnel
BAM	24 hour averaging period	PM10	µg/m ³	50	15.9
BAM	Annual averaging period	PM10	µg/m ³	30	16.5
BAM	Annual averaging period	Total suspended particulate	µg/m ³	90	Not applicable yet

Sampled:		March/April 2015	Licensee: Dial A Dump (EC) Pty Ltd		
			Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek		
			EPL Nos. 20121		
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.6
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.3
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.6
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	4
BAM	24 hour averaging period	PM10	µg/m ³	50	10.9
BAM	Annual averaging period	PM10	µg/m ³	30	17.0
BAM	Annual averaging period	Total suspended particulate	µg/m ³	90	Not applicable yet

Dial A Dump (EC) Pty Ltd
Dust Deposition Monitoring



Disclaimer: Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of the Licensees' knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere or used in any way without prior consent from the Licensees. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

Sampled:		February/March 2015	Licensee: Dial A Dump (EC) Pty Ltd		
			Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek		
			EPL Nos. 20121		
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.8
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.2
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.5
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.1
BAM	24 hour averaging period	PM10	µg/m ³	50	22.5
BAM	Annual averaging period	PM10	µg/m ³	30	17.1
BAM	Annual averaging period	Total suspended particulate	µg/m ³	90	Not applicable yet

Sampled:		January/February 2015	Licensee: Dial A Dump (EC) Pty Ltd		
			Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek		
			EPL Nos. 20121		
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.9
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.6
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.4
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.3
BAM	24 hour averaging period	PM10	µg/m ³	50	31.5
BAM	Annual averaging period	PM10	µg/m ³	30	17.0
BAM	Annual averaging period	Total suspended particulate	µg/m ³	90	Not applicable yet

Sampled:		December 2014/January 2015	Licensee: Dial A Dump (EC) Pty Ltd		
			Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek		
			EPL Nos. 20121		
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.3
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.5
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.5
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	3.4
BAM	24 hour averaging period	PM10	µg/m ³	50	30.3
BAM	Annual averaging period	PM10	µg/m ³	30	18.0
BAM	Annual averaging period	Total suspended particulate	µg/m ³	90	Not applicable yet

Sampled:		November/December 2014	Licensee: Dial A Dump (EC) Pty Ltd		
			Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek		
			EPL Nos. 20121		
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.6
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.1
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.2
BAM	24 hour averaging period	PM10	µg/m ³	50	34.9
BAM	Annual averaging period	PM10	µg/m ³	30	18.4
BAM	Annual averaging period	Total suspended particulate	µg/m ³	90	Not applicable yet

Sampled:		October/November 2014	Licensee: Dial A Dump (EC) Pty Ltd		
			Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek		
			EPL Nos. 20121		
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.6
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.6
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.3
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	5.5
BAM	24 hour averaging period	PM10	µg/m ³	50	27.6
BAM	Annual averaging period	PM10	µg/m ³	30	18.2
BAM	Annual averaging period	Total suspended particulate	µg/m ³	90	Not applicable yet

Dial A Dump (EC) Pty Ltd
Dust Deposition Monitoring



Disclaimer: Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of the Licensees' knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere or used in any way without prior consent from the Licensees. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

Sampled:		September/October 2014	Licensee: Dial A Dump (EC) Pty Ltd		
			Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek		
			EPL Nos. 20121		
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	-
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.4
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.8
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.4
BAM	24 hour averaging period	PM10	µg/m ³	50	-
BAM	Annual averaging period	PM10	µg/m ³	30	19.1
BAM	Annual averaging period	Total suspended particulate	µg/m ³	90	Not applicable yet

Sampled:		August/September 2014	Licensee: Dial A Dump (EC) Pty Ltd		
			Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek		
			EPL Nos. 20121		
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.8
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.2
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.8
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.9
BAM	24 hour averaging period	PM10	µg/m ³	50	-
BAM	Annual averaging period	PM10	µg/m ³	30	18.8
BAM	Annual averaging period	Total suspended particulate	µg/m ³	90	Not applicable yet

Sampled:		July/August 2014	Licensee: Dial A Dump (EC) Pty Ltd		
			Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek		
			EPL Nos. 20121		
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.7
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.1
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.8
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.6
BAM	24 hour averaging period	PM10	µg/m ³	50	-
BAM	Annual averaging period	PM10	µg/m ³	30	19.2
BAM	Annual averaging period	Total suspended particulate	µg/m ³	90	Not applicable yet

Sampled:		June/July 2014	Licensee: Dial A Dump (EC) Pty Ltd		
			Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek		
			EPL Nos. 20121		
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.2
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.5
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.5
BAM	24 hour averaging period	PM10	µg/m ³	50	19.9
BAM	Annual averaging period	PM10	µg/m ³	30	19.5
BAM	Annual averaging period	Total suspended particulate	µg/m ³	90	Not applicable yet

Sampled:		April/June 2014	Licensee: Dial A Dump (EC) Pty Ltd		
			Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek		
			EPL Nos. 20121		
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.8
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.4
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.4
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.9
BAM	24 hour averaging period	PM10	µg/m ³	50	40.2
BAM	Annual averaging period	PM10	µg/m ³	30	19.6
BAM	Annual averaging period	Total suspended particulate	µg/m ³	90	Not applicable yet

Dial A Dump (EC) Pty Ltd
Dust Deposition Monitoring



Disclaimer: Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of the Licensees' knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere or used in any way without prior consent from the Licensees. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

Sampled: March/April 2014		Licensee: Dial A Dump (EC) Pty Ltd			
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.1
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.5
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.1
BAM	24 hour averaging period	PM10	µg/m ³	50	12.6
BAM	Annual averaging period	PM10	µg/m ³	30	19.7
BAM	Annual averaging period	Total suspended particulate	µg/m ³	90	Not applicable yet

Sampled: February/March 2014		Licensee: Dial A Dump (EC) Pty Ltd			
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.6
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.9
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.9
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	Funnel broken
BAM	24 hour averaging period	PM10	µg/m ³	50	-
BAM	Annual averaging period	PM10	µg/m ³	30	19.3
BAM	Annual averaging period	Total suspended particulate	µg/m ³	90	Not applicable yet

Sampled: December 2013/January 2014		Licensee: Dial A Dump (EC) Pty Ltd			
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.6
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.5
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.9
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.8
BAM	24 hour averaging period	PM10	µg/m ³	50	28.7
BAM	Annual averaging period	PM10	µg/m ³	30	19.3
BAM	Annual averaging period	Total suspended particulate	µg/m ³	90	Not applicable yet

Sampled: November/December 2013		Licensee: Dial A Dump (EC) Pty Ltd			
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.8
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	3.3
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	4.0
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	4.3
BAM	24 hour averaging period	PM10	µg/m ³	50	22.4
BAM	Annual averaging period	PM10	µg/m ³	30	19.4
BAM	Annual averaging period	Total suspended particulate	µg/m ³	90	Not applicable yet

Sampled: October/November 2013		Licensee: Dial A Dump (EC) Pty Ltd			
		Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek			
		EPL Nos. 20121			
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.2
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.9
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.2
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.2 (Insects, glass funnel broken)
BAM	24 hour averaging period	PM10	µg/m ³	50	15.7
BAM	Annual averaging period	PM10	µg/m ³	30	19.5
BAM	Annual averaging period	Total suspended particulate	µg/m ³	90	Not applicable yet

Dial A Dump (EC) Pty Ltd
Dust Deposition Monitoring



Disclaimer: Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of the Licensees' knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere or used in any way without prior consent from the Licensees. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

Sampled:		September/October 2013	Licensee: Dial A Dump (EC) Pty Ltd		
			Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek		
			EPL Nos. 20121		
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.2
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.2 (Insects, sample dried out and had broken glass funnel)
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.5
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.3
BAM	24 hour averaging period	PM10	µg/m ³	50	18.4
BAM	Annual averaging period	PM10	µg/m ³	30	18.9
BAM	Annual averaging period	Total suspended particulate	µg/m ³	90	Not applicable yet

Sampled:		August/September 2013	Licensee: Dial A Dump (EC) Pty Ltd		
			Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek		
			EPL Nos. 20121		
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.3
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	3.5
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.0
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.6
BAM	24 hour averaging period	PM10	µg/m ³	50	18.9
BAM	Annual averaging period	PM10	µg/m ³	30	18.4
BAM	Annual averaging period	Total suspended particulate	µg/m ³	90	Not applicable yet

Sampled:		July/August 2013	Licensee: Dial A Dump (EC) Pty Ltd		
			Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek		
			EPL Nos. 20121		
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.9
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.5
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.3
BAM	24 hour averaging period	PM10	µg/m ³	50	18.6
BAM	Annual averaging period	PM10	µg/m ³	30	17.3
BAM	Annual averaging period	Total suspended particulate	µg/m ³	90	Not applicable yet

Sampled:		June/July 2013	Licensee: Dial A Dump (EC) Pty Ltd		
			Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek		
			EPL Nos. 20121		
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.7
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.8
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.7
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.7
BAM	24 hour averaging period	PM10	µg/m ³	50	17.8
BAM	Annual averaging period	PM10	µg/m ³	30	Not applicable yet
BAM	Annual averaging period	Total suspended particulate	µg/m ³	90	Not applicable yet

Sampled:		May/June 2013	Licensee: Dial A Dump (EC) Pty Ltd		
			Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek		
			EPL Nos. 20121		
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.5
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.3
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.1
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.3
BAM	24 hour averaging period	PM10	µg/m ³	50	17
BAM	Annual averaging period	PM10	µg/m ³	30	Not applicable yet
BAM	Annual averaging period	Total suspended particulate	µg/m ³	90	Not applicable yet

Dial A Dump (EC) Pty Ltd
Dust Deposition Monitoring



Disclaimer: Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of the Licensees' knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere or used in any way without prior consent from the Licensees. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

Sampled:		April/May 2013	Licensee: Dial A Dump (EC) Pty Ltd		
			Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek		
			EPL Nos. 20121		
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.8
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.3
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.7
BAM	24 hour averaging period	PM10	µg/m ³	50	16.6
BAM	Annual averaging period	PM10	µg/m ³	30	Not applicable yet
BAM	Annual averaging period	Total suspended particulate	µg/m ³	90	Not applicable yet

Sampled:		March/April 2013	Licensee: Dial A Dump (EC) Pty Ltd		
			Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek		
			EPL Nos. 20121		
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.4
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.3
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.7
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.8
BAM	24 hour averaging period	PM10	µg/m ³	50	16
BAM	Annual averaging period	PM10	µg/m ³	30	Not applicable yet
BAM	Annual averaging period	Total suspended particulate	µg/m ³	90	Not applicable yet

Sampled:		February/March 2013	Licensee: Dial A Dump (EC) Pty Ltd		
			Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek		
			EPL Nos. 20121		
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.7
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.1
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.7
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.6
BAM	24 hour averaging period	PM10	µg/m ³	50	16
BAM	Annual averaging period	PM10	µg/m ³	30	Not applicable yet
BAM	Annual averaging period	Total suspended particulate	µg/m ³	90	Not applicable yet

Sampled:		December 2012/January 2013	Licensee: Dial A Dump (EC) Pty Ltd		
			Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek		
			EPL Nos. 20121		
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.7
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	Broken sample due to wildlife since replaced and relocated
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	No results (unable to access sample due to sighting of snakes) now resolved.
BAM	24 hour averaging period	PM10	µg/m ³	50	31µg/m ³ (period max.)
BAM	Annual averaging period	PM10	µg/m ³	30	Not applicable yet
BAM	Annual averaging period	Total suspended particulate	µg/m ³	90	Not applicable yet

Sampled:		November/December 2012	Licensee: Dial A Dump (EC) Pty Ltd		
			Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek		
			EPL Nos. 20121		
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.4
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	7.1
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	2.3
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	No results (unable to access sample due to sighting of snakes) now resolved.
BAM	24 hour averaging period	PM10	µg/m ³	50	31
BAM	Annual averaging period	PM10	µg/m ³	30	Not applicable yet
BAM	Annual averaging period	Total suspended particulate	µg/m ³	90	Not applicable yet

Dial A Dump (EC) Pty Ltd
Dust Deposition Monitoring



Disclaimer: Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of the Licensees' knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere or used in any way without prior consent from the Licensees. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

Sampled:		September/November 2012	Licensee: Dial A Dump (EC) Pty Ltd		
			Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek		
			EPL Nos. 20121		
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.75
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.05
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.1
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1.05
BAM	24 hour averaging period	PM10	µg/m ³	50	11
BAM	Annual averaging period	PM10	µg/m ³	30	Not applicable yet
BAM	Annual averaging period	Total suspended particulate	µg/m ³	90	Not applicable yet

Sampled:		July/August 2012	Licensee: Dial A Dump (EC) Pty Ltd		
			Address: Genesis Waste Facility, Honeycomb Drive, Eastern Creek		
			EPL Nos. 20121		
Sampling point	Monitoring frequency	Pollutant	Unit	Limit	Measurement
North DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	6.2
East DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	No results available
South DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	0.8
West DDG	Monthly	Total Insoluble Solids	g/m ² /month	4	1
BAM	24 hour averaging period	PM10	µg/m ³	50	11
BAM	Annual averaging period	PM10	µg/m ³	30	Not applicable yet
BAM	Annual averaging period	Total suspended particulate	µg/m ³	90	Not applicable yet